

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSENDER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/711,389	09/15/2004	Werner Zumbrunn	CT0002	5388
25235 7550 06/11/2098 HOGAN & HARTSON LLP ONE TABOR CENTER, SUITE 1500 1200 SEVENTENTH ST			EXAMINER	
			MERCIER, MELISSA S	
DENVER, CO			ART UNIT	PAPER NUMBER
			1615	
			MAIL DATE	DELIVERY MODE
			06/11/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

### Application No. Applicant(s) 10/711,389 ZUMBRUNN ET AL. Office Action Summary Examiner Art Unit MELISSA S. MERCIER 1615 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-37 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) \_\_\_\_\_ is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-37 are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner.

<ul> <li>2. Certified copies of the priority documents ha</li> <li>3. Copies of the certified copies of the priority of application from the International Bureau (Popular Priority Company)</li> </ul>	documents have been received in this National Stage
* See the attached detailed Office action for a list of the	,
Attachment(s)	
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date  5) Notice of Informal Patent Application
Information Disclosure Statement(s) (PTO/S5/08)  Paper No(s)/Mail Date	6) Other:
S. Patent and Trademark Office (TOL-326 (Rev. 08-06))  Office Action	Summary Part of Paper No./Mail Date 2008060

10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies of the priority documents have been received.

Priority under 35 U.S.C. § 119

a) All b) Some \* c) None of:

Art Unit: 1615

### DETAILED ACTION

#### Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-16, drawn to a method for transdermal administration, classified in class 604, subclass 19.
- Claims 17-35, drawn to a device for transdermal administration, classified in class 604, subclass 892.1.
- III. Claims 36-37, drawn to an administration unit for application to the skin, classified in class 424, subclass 449.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the product can be used according to numerous embodiments of the method depending on the structure of the product, for example, the solvent can be removed according to evaporation by heating or through a membrane, a preprogrammed opening of a pinch valve, pumping of the solvent, or lowering of an arm or lever, for example.

Inventions I and III are directed to related transdermal application of active agents. The related inventions are distinct if: (1) the inventions as claimed are either not capable of use together or can have a materially different design, mode of operation,

Art Unit: 1615

function, or effect; (2) the inventions do not overlap in scope, i.e., are mutually exclusive; and (3) the inventions as claimed are not obvious variants. See MPEP § 806.05(j). In the instant case, the inventions as claimed have materially different designs. The device of Group I does not require the separation layer being impermeable to the active agent but permeable to a solvent. Furthermore, the inventions as claimed do not encompass overlapping subject matter and there is nothing of record to show them to be obvious variants.

Inventions II and III are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination of Invention III has separate utility such as a stand alone transdermal patch, whereas, Invention II additionally requires a separate delivery device. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

Art Unit: 1615

Restriction for examination purposes as indicated is proper because all these inventions listed in this action are independent or distinct for the reasons given above and there would be a serious search and examination burden if restriction were not required because one or more of the following reasons apply:

- (a) the inventions have acquired a separate status in the art in view of their different classification:
- (b) the inventions have acquired a separate status in the art due to their recognized divergent subject matter;
- (c) the inventions require a different field of search (for example, searching different classes/subclasses or electronic resources, or employing different search queries);
- (d) the prior art applicable to one invention would not likely be applicable to another invention:
- (e) the inventions are likely to raise different non-prior art issues under 35 U.S.C. 101 and/or 35 U.S.C. 112, first paragraph.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election

Art Unit: 1615

shall be treated as an election without traverse. Traversal must be presented at the time of election in order to be considered timely. Failure to timely traverse the requirement will result in the loss of right to petition under 37 CFR 1.144. If claims are added after the election, applicant must indicate which of these claims are readable on the elected invention.

If claims are added after the election, applicant must indicate which of these claims are readable upon the elected invention.

Should applicant traverse on the ground that the inventions are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

This application contains claims directed to the following patentably distinct species:

If Applicant elects Group I, the following elections are additionally required:

Mode of evaporation of Solvent:

- a. by a heating element
- b. a preprogrammed opening of a pinch valve that is in contact with the porous surface
  - c. preprogrammed lowering of an arm or lever
  - d. absorption by a desiccant

Application/Control Number: 10/711,389 Page 6

Art Unit: 1615

e. discharged into the environment

f. flushed by a fluid

## Type of interface device:

- a. membrane
- b. adhesive layer

# If Applicant elects Group II, the following elections are additionally required:

## Type of interface device:

- a. adhesive surface
- b. membrane

## Type of separation means:

- a. membrane, foam, cellular material, honeycomb
- b. desiccant, general or selective adsorbent material, silica gel, molecular sieve, active carbon
  - c. a chamber with an inlet and an outlet for flushing by a fluid

## Type of dispensing device:

 a. at least one reservoir for an active substance which is interconnected to the administration reservoir Application/Control Number: 10/711,389 Page 7

Art Unit: 1615

b. a propellant means to propel the active substance from the reservoir into the

administration reservoir.

c. a first reservoir comprising a first active substance and a second reservoir

comprising a second active substance, wherein the first and second active substances

are mixed by a mixing means

Operation of control device:

a. interconnected to at least one valve for controlling the administration of the at

least one active substance

b. programmable according to a predetermined regime or time pattern or interval

of administration

c. interconnected with at least one sensor for measuring the administration and

condition of at least one active substance

If Applicant elects Group III, no additional election is required.

The species are independent or distinct because claims to the different species

recite the mutually exclusive characteristics of such species. In addition, these species

are not obvious variants of each other based on the current record. Each species would

lead to a device or method of administration with a different mode of operation and

possible effect.

Art Unit: 1615

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1-2, 12, 15-18, 21, 23, and 35-37 are generic.

There is an examination and search burden for these patentably distinct species due to their mutually exclusive characteristics. The species require a different field of search (e.g., searching different classes/subclasses or electronic resources, or employing different search queries); and/or the prior art applicable to one species would not likely be applicable to another species; and/or the species are likely to raise different non-prior art issues under 35 U.S.C. 101 and/or 35 U.S.C. 112, first paragraph.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

The election of the species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the election of species requirement, the election shall be treated as an election without traverse. Traversal must be presented at the time of election in order to be considered timely. Failure to timely traverse the requirement will result in the loss of right to petition under 37 CFR 1.144. If claims are

Art Unit: 1615

added after the election, applicant must indicate which of these claims are readable on the elected species.

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the species unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other species.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141.

The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder.

All claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101. 102. 103 and 112. Until all claims to the elected product

Art Unit: 1615

are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. Failure to do so may result in a loss of the right to rejoinder. Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MELISSA S. MERCIER whose telephone number is (571)272-9039. The examiner can normally be reached on 8:00am-4:30pm Mon through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward can be reached on (571) 272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/711,389 Page 11

Art Unit: 1615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Melissa S Mercier/ /MP WOODWARD/

Examiner, Art Unit 1615 Supervisory Patent Examiner, Art Unit 1615